



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

graphic method, and has recently added three discoveries. In the past year PALISA has discovered two by the older methods. 342 are now known, and at the present rate of discovery the resources of the computing staff in Berlin will soon be severely taxed to furnish satisfactory orbits for them.

CHARLOIS has assigned to the first asteroid discovered by him in 1892 the name *Columbia*, in honor of our quadri-centennial year.

WOLF has named the first planet discovered by him *Brucia*, in honor of Miss BRUCE, who has made generous contributions of money for astronomical research.

W. W. C.

ELEMENTS OF COMET *c*, 1892 (BARNARD, Oct. 12).

From Mr. BARNARD's observations of October 13, 19 and 25, I have computed new parabolic elements of the comet discovered by him with the CROCKER photographic telescope. They are :

$$\begin{aligned} T &= \text{Gr. M. T., 1892, Dec. } 2^d 59^m 77^s \\ \omega &= 165^\circ 44' 51'' \\ \Omega &= 201^\circ 49' 34'' \\ i &= 33^\circ 35' 93'' \\ \log q &= 0.18528 \end{aligned} \quad \left. \begin{array}{l} \text{Residuals (Obs.-Comp.)} \\ \cos \beta' \cdot \Delta \lambda' = +0'.64 \\ \Delta \beta' = \quad 0.00 \end{array} \right\} 1892.0$$

The residual in longitude is large, but another approximation to a parabolic orbit does not reduce it. This fact, taken in connection with the direct motion and the fairly small inclination, points strongly to an elliptic orbit. However, the first observation depends only upon a *Lalande* star place, and the character of the orbit cannot now be decided.

The original elements, distributed by telegraph, represented the observations upon which they were based very well; though, as stated in the telegrams, they were subject to considerable uncertainty.

W. W. C.

October 27.

NOTE.—Elliptic elements by Professor KRUEGER, of Kiel, Germany, just received, assign to this comet a period of 10 years. Elements by SCHUELHOF assign a period of about 6 years, and indicate a close relation to WOLF's periodic comet.